LIBRARY
TECHNICAL REPORT SECTION
NAVAL POSTGRADUATE SCHOOL
MONTEREY, CALIFORNIA 93940

NPS-53WG72112A

NAVAL POSTGRADUATE SCHOOL

Monterey, California

UNIQUE MAXIMUM PROPERTY OF THE

STIRLING NUMBERS OF THE SECOND KIND

by

W. E. Bleick and Peter C. C. Wang

20 November 1972

Approved for public release; distribution unlimited.

FEDDOCS
D 208.14/2:NPS-53WG72112A

Unique Maximum Property of the Stirling Numbers of the Second Kind

by

W. E. Bleick and Peter C. C. Wang*
Mathematics Department
Naval Postgraduate School, Monterey, California

---

*Partially sponsored by the Office of Naval Research with Grant NR-042-286 at the Naval Postgraduate School.

NAVAL POSTGRADUATE SCHOOL
Monterey, California

Rear Admiral Mason B. Freeman
Superintendent

M. U. Clauser
Provost

ABSTRACT:

Letting $f(n)$ and $\ell(n)$ the first and last maximum of the graph $S(n,k); k = 1, 2, \ldots, n$, Kanold [J. Reine Angew. Math 230(1968), 211-212] shows that, for sufficiently large n, $n/\log n < f(n) \leq \ell(n) \leq n\, h(n)/\log n$ with $h(n)$ subject only to $h(n) \to \infty$ as $n \to \infty$. This result was subsequently improved by Harborth [j. Reine Angew. Math 230(1968), 213-214] to yield $\lim_{n\to\infty} f(n) n^{-1} \log n = \lim_{n\to\infty} \ell(n) n^{-1} \log n = 1$. Together with Harper's result [Ann. Math. Stat. 38(1968), 410-414], it is concluded that $S(n,k)$ have, asymptotically, a single maximum. Lieb [J. of Comb. Theory 5(1968), 203-206] shows that Stirling numbers of the second kind possess the property of Strong Logarithmic Concavity, and thus are unimodal. Dobson [J. of Comb. Theory 5(1968), 212-214 and Vol. 7(1969), 116-121] shows a similar result in a stronger form. However, the classical problem of establishing that $S(n,k)$ possess an "unique" maximum for all $n \geq 3$ remains unsolved. It is the purpose of this paper to provide the complete solution of this classical problem.

This task was supported by: Office of Naval Research
Contract No. NR-042-286

NPS-53WG72112A

20 November 1972

ABSTRACT

Letting $f(n)$ and $\ell(n)$ the first and last maximum of the graph $S(n,k); k = 1, 2, \ldots, n$, Kanold [J. Reine Angew. Math 230(1968), 211-212] shows that, for sufficiently large n, $n/\log n < f(n) \leq \ell(n) \leq n\, h(n)/\log n$ with $h(n)$ subject only to $h(n) \to \infty$ as $n \to \infty$. This result was subsequently improved by Harborth [J. Reine Angew. Math 230(1968), 213-214] to yield $\lim_{n\to\infty} f(n)n^{-1}\log n = \lim_{n\to\infty} \ell(n)n^{-1}\log n = 1$. Together with Harper's result [Ann. Math. Stat. 38(1967), 410-414], it is concluded that $S(n,k)$ have, asymptotically, a single maximum. Lieb [J. of Comb. Theory 5(1968), 203-206] shows that Stirling numbers of the second kind possess the property of Strong Logarithmic Concavity, and thus are unimodal. Dobson [J. of Comb. Theory 5(1968), 212-214 and Vol. 7(1969), 116-121] shows a similar result in a stronger form. However, the classical problem of establishing that $S(n,k)$ possess an "unique" maximum for all $n \geq 3$ remains unsolved. It is the purpose of this paper to provide the complete solution of this classical problem.

I. Introduction

The Stirling numbers of the second kind $S(n,k)$ have come into renewed salience, primarily due to the fact that $S(n,k)$ is the number of partitions of an n-set into k disjoint nonempty subset and $S(n,k)$ is the number of distinct fields defined on a finite sample space with n elementary events to which each field contains exactly 2^k events [1]. Letting $f(n)$ and $\ell(n)$ the first and last maxima of the graph $S(n,k); k = 1, 2, \ldots, n$, Kanold [2] shows that, for sufficiently large n, $n/\log n < f(n) \leq \ell(n) \leq n\, h(n)/\log n$ with $h(n)$ subject only to $h(n) \to \infty$ as $n \to \infty$. This result was subsequently improved to yield

$$\lim_{n\to\infty} f(n) n^{-1} \log n = \lim_{n\to\infty} \ell(n) n^{-1} \log n = 1,$$

by Harborth [3]. Together with Harper's result [4], it is concluded that $S(n,k)$ have, asymptotically, a single maximum. Earlier Lieb [5] shows that Stirling numbers of the second kind possess the property of Strong Logarithmic Concavity, and thus are unimodal. Dobson [6, 7] shows a similar result in a stronger form. However, the classical problem of establishing that $S(n,k)$ possess an "unique" maximum for all $n \geq 3$ remains unsolved. It is the purpose of this paper to provide the complete solution of this classical problem.

II. Unique Maximum Property of $S(n,k)$.

In Riordan [8; p.43] has given the Taylor series

$$(1) \qquad \sum_{n=k}^{\infty} S(n,k)z^{n-k} = \prod_{j=1}^{k} (1-jz)^{-1},$$

convergent for $|z| < k^{-1}$, as a generating function for the Stirling numbers $S(n,k)$ of the second kind. The reciprocal transformation $z = w^{-1}$ converts (1) to the Laurent series

$$(2) \qquad \sum_{n=k}^{\infty} S(n,k)w^{-n} = \prod_{j=1}^{k} (w-j)^{-1},$$

convergent for $|w| > k$. The coefficient in the series (2) may be expressed as the contour integral

$$(3) \qquad S(n,k) = \frac{1}{2\pi i} \int_C \frac{w^{n-1}dw}{(w-1)(w-2)\ldots(w-k)}$$

where the contour C encloses the singular points of the integrand. From (3) it follows that

$$(4) \qquad S(n,k-1) - S(n,k) = \frac{1}{2\pi i} \int_C \frac{w^{n-1}(w-k-1)dw}{(w-1)(w-2)\ldots(w-k)} .$$

On evaluating (4) by the residue theorem we find

$$(5) \qquad S(n,k-1) - S(n,k) = \sum_{\ell=1}^{k} \lim_{w\to\ell} \frac{(w-\ell)w^{n-1}(w-k-1)}{(w-1)(w-2)\ldots(w-k)} .$$

On using the Lagrange interpolation formula we interpret $S(n,k-1) - S(n,k)$ in (5) as the coefficient of v^{k-1} in the polynomial passing through the k ordinates

$$f(v) = v^n - (k+1)v^{n-1}$$

for $v = 1, 2, \ldots, k$. But this coefficient of v^{k-1} in the interpolating polynomial for the ordinates $f(1), f(2), \ldots, f(k)$ is proportional to the determinant

$$\begin{vmatrix} f(1) & f(2) & \cdots & f(k-1) & f(k) \\ 1 & 2^{k-2} & \cdots & (k-1)^{k-2} & k^{k-2} \\ \vdots & \vdots & & \vdots & \vdots \\ 1 & 2 & \cdots & (k-1) & k \\ 1 & 1 & \cdots & 1 & 1 \end{vmatrix}$$

$$= \begin{vmatrix} -k & -(k-1)2^{n-1} & \cdots & -2(k-1)^{n-1} & -k^{n-1} \\ 1 & 2^{k-2} & \cdots & (k-1)^{k-2} & k^{k-2} \\ \vdots & \vdots & & \vdots & \vdots \\ 1 & 2 & \cdots & (k-1) & k \\ 1 & 1 & \cdots & 1 & 1 \end{vmatrix} .$$

The last $k-1$ rows of this determinant are the linearly independent rows of a Vandermonde determinant.

The first row of the determinant is a linear combination of the remaining rows only if $n = k = 2$. Hence, $S(n,k-1) - S(n,k) = 0$ only if $n = k = 2$. We have established the following Theorem: The Stirling numbers of the second kind $S(n,k)$ possess an "unique" maximum for all $n \geq 3$.

References

[1] Wang, Peter C. C., "Enumeration of Distinct Fields Over a Finite Probability Space", Notices of Amer. Math. Soc. 16(1969)294.

[2] Kanold, H. J., "Über line asymptotische Abschätzung bei Stirlingschen Zahlen 2. Art", J. Reine Angew. Math. 230(1968), 211-212.

[3] Harborth, H., "Über das Maximum bei Stirlingschen Zahlen 2. Art", J. Reine Angew. Math. 230(1968), 213-214.

[4] Harper, L. H., "Stirling Behavior is Asymptotically Normal", Ann. Math. Stat. 38(1967), 410-414.

[5] Lieb, E. H., "Concavity Properties and a Generating Function for Stirling Numbers", J. of Comb. Theory 5(1968), 203-206.

[6] Dobson, A. J., "A Note on Stirling Numbers of the Second Kind", J. of Comb. Theory, 5(1968), 212-214.

[7] Dobson, A. J. and Rennie, B. C., "On Stirling Numbers of the Second Kind", J. of Combinatorial Theory, 7(1969), 116-121.

[8] Riordan, John, An Introduction to Combinatorial Analysis, John Wiley & Sons, Inc., 1958.

DISTRIBUTION LIST

	Copies
Statistics and Probability program Office of Naval Research Attn: Dr. B. J. McDonald Arlington, Virgainia 22217	3
Director, Naval Research Laboratory Attn: Library, Code 2029 (ONRL) Washington, D. C. 20390	6
Defense Documentation Center Cameron Station Alexandria, Virginia 22314	12
Defense Logistics Studies Information Exchange Army Logistics Management Center Attn: Arnold Hixon Fort Lee, Virginia 23801	1
Technical Information Division Naval Research Laboratory Washington, D. C. 20390	6
Office of Naval Research New York Area Office 207 West 24th Street Attn: Dr. Jack Laderman New York, New York	1
Director Office of Naval Research Branch Office 495 Summer Street Attn: Dr. A. L. Powell Boston, Massachusetts 02210	1
Director Office of Naval Research Branch Office 536 South Clark Street Attn: Dr. A. R. Dawe Chicago, Illinois 60605	1
Office of Naval Research Branch Office 536 South Clark Street Attn: Dr. Robert Buchal Chicago, Illinois 60605	1
Director Office of Naval Research Branch Office 1030 East Green Street Attn: Dr. A. R. Laufer Pasadena, California 91101	1
Office of Naval Research Branch Office 1030 East Green Street Attn: Dr. Richard Lau Pasadena, California 91101	1
Office of Naval Research San Francisco Area Office 50 Fell Street San Francisco, California 94102	1
Technical Library Naval Ordanance Station Indian Head, Maryland 20640	1
Naval Ship Engineering Center Philadelphia Division Technical Library Philadelphia, Pennsylvania 19112	1
Bureau of Naval Personnel Department of the Navy Technical Library Washington, D. C. 20370	1
Library, Code 0212 Naval Postgraduate School Monterey, California 93940	1
Library Naval Electronics Laboratory Center San Diego, California 92152	1

	Copies
Naval Undersea Center Technical Library San Diego, California 92132	1
Applied Mathematics Laboratory Naval Ships Research and Development Center Attn: Mr. Gene H. Gleissner Washington, D. C. 20007	1
Office of Chief of Naval Operations (Op 964) Ballston Tower No. 2 Attn: Mr. A. S. Rhodes Arlington, Virginia 22203	1
Naval Ships Systems Command Ships 0311 National Center No. 3 Attn: Miss B. S. Orleans Arlington, Virginia 20360	1
University of Chicago Department of Statistics Attn: Prof. W. Kruskal Chicago, Illinois 60637	1
Stanford University Department of Operations Research Attn: Prof. G. J. Lieberman Stanford, California 94305	1
Florida State University Department of Statistics Attn: Prof. I. R. Savage Tallahassee, Florida 32306	1
Florida State University Department of Statistics Attn: Prof. R. A. Bradley Tallahassee, Florida 32306	1
Princeton University Department of Statistics Attn: Prof. J. W. Tukey Princeton, New Jersey 08540	1

	Copies
Princeton University Department of Statistics Attn: Prof. G. S. Watson Princeton, New Jersey 05840	1
Stanford University Department of Statistics Attn: Prof. T. W. Anderson Stanford, California 94305	1
University of California Department of Statistics Attn: Prof. P. J. Bickel Berkeley, California 94720	1
University of Washington Department of Mathematics Attn: Prof. Z. W. Birnbaum Seattle, Washington 98105	1
Harvard University Department of Statistics Attn: Prof. W. G. Cochran Cambridge, Massachusetts 02139	1
Columbia University Department of Civil Engineering and Engineering Mechanics Attn: Prof. C. Derman New York, New York 10027	1
Columbia University Department of Mathematics Attn: Prof. H. Robins New York, New York 10027	1
New York University Institute of Mathematical Science Attn: W. M. Hirsch New York, New York 10453	1
University of North Carolina Department of Statistics Attn: Prof. W. L. Smith Chapel Hill, North Carolina 27514	1

	Copies
University of North Carolina Department of Statistics Attn: Prof. M. R. Leadbetter Chapel Hill, North Carolina 27514	1
Purdue University Department of Statistics Attn: Prof. H. Rubin Lafayette, Indiana 47907	1
University of California San Diego Department of Mathematics P. O. Box 109 Attn: Prof. M. Rosenblatt La Jolla, California 92038	1
New York University Department of Industrial Engineering and Operations Research Attn: Prof. J. H. K. Kao Bronx, New York 10453	1
University of Wisconsin Department of Statistics Attn: Prof. G. E. P. Box Madison, Wisconsin 53706	1
State University of New York Chairman, Department of Statistics Attn: Prof. E. Parzen Buffalo, New York 14214	1
University of California Operations Research Center Attn: Prof. R. E. Barlow Berkeley, California 94720	1
Yale University Department of Statistics Attn: Prof. F. J. Anscombe New Haven, Connecticut	1
Purdue University Department of Statistics Attn: Prof. S. S. Gupta Lafayette, Indiana 47907	1

	Copies
Cornell University Department of Operations Research Attn: Prof. R. E. Bechhofer Ithaca, New York 14850	1
Stanford University Department of Mathematics Attn: Prof. S. Karlin Stanford, California 94305	1
Southern Methodist University Department of Statistics Attn: Prof. D. B. Owen Dallas, Texas 75222	1
University of Georgia Department of Statistics Attn: Prof. R. E. Bargmann Athens, Georgia 30601	1
Daniel H. Wagner, Associates Station Square One Attn: Dr. L. D. Stone Paoli, Pennsylvania 19301	1
Daniel H. Wagner, Associates Station Square One Attn: Dr. B. Belkin Paoli, Pennsylvania 19301	1
Stanford University Department of Operations Research Attn: Prof. A. F. Veinott Stanford, California 94305	1
Stanford University Department of Operations Research Attn: Prof. D. L. Iglehart Stanford, California 94305	1
George Washington University Department of Statistics Attn: Prof. Herbert Solomon Washington, D. C. 20006	1
University of North Carolina Department of Statistics Attn: Prof. C. R. Baker Chapel Hill, North Carolina 27514	1

	Copies
Clemson University Department of Mathematics Attn: Prof. K. T. Wallenius Clemson, South Carolina 29631	1
University of California Department of Statistics Attn: Charles E. Antoniak Berkeley, California 94720	1
Clarkson College of Technology Division of Research Attn: Prof. M. Arozullah Potsdam, New York 13676	1
University of Southern California Electrical Sciences Division Attn: Prof. W. C. Lindsey Los Angeles, California 90007	1
Case Western Reserve University Department of Mathematics and Statistics Attn: Prof. S. Zacks Cleveland, Ohio 44106	1
University of Florida Department of Electrical Engineering Attn: Prof. D. G. Childers Gainesville, Florida 32601	1
Stanford University Department of Statistics Attn: Prof. H. Chernoff Stanford, California 94305	1
Naval Research Laboratory Electronics Division (Code 5267) Attn: Mr. Walton Bishop Washington, D. C. 20390	1
Commandant of the Marine Corps (Code AX) Attn: Dr. A. L. Slafkosky Scientific Advisor Washington, D. C. 20380	1
Program in Logistics The George Washington University Attn: Dr. W. H. Marlow 707 22nd Street, N. W. Washington, D. C. 20037	1
Mississippi Test Facility Earth Resources Laboratory (Code GA) Attn: Mr. Sidney L. Whitley Bay St. Louis, Mississippi 39520	1
Naval Postgraduate School Department of Operations Research and Administrative Sciences Attn: Prof. P. A. W. Lewis Monterey, California 93940	1
Southern Methodist University Department of Statistics Attn: Prof. W. R. Schucany Dallas, Texas 75222	1
Webb Institute of Naval Architecture Attn: Prof. O. J. Karst Crescent Beach Road Glen Cove, New York 11543	1
University of Missouri Department of Statistics Attn: Prof. W. A. Thompson, Jr. Columbia, Missouri 65201	1
Rice University Department of Mathematical Sciences Attn: Prof. J. R. Thompson Houston, Texas 77001	1
University of California System Science Department Attn: Prof K. Yao Los Angeles, California 90024	1
Naval Postgraduate School Department of Mathematics Attn: P. C. C. Wang Monterey, California 93940	20

	Copies
Raytheon Company Submarine Signal Division Attn: Dr. W. S. Liggett, Jr. Portsmouth, Rhode Island 02971	1
Systems Control, Inc. Attn: Dr. L. P. Seidman 260 Sheridan Avenue Palo Alto, California 44306	1
University of California Department of Information and Computer Science Attn: Prof. E. Masry La Jolla, California 92037	1
University of California School of Engineering Attn: Prof. N. J. Bershad Irvine, California 92664	1
University of California School of Engineering and Applied Science Attn: Prof. I. Rubin Los Angeles, California 90024	1
Virginia Polytechnic Institute Department of Statistics Attn: Prof. C. Kramer Blacksburg, Virginia 24061	1
New York University Department of Electrical Engineering Attn: Prof. I. Yagoda Bronx, New York 10453	1
University of Rochester Department of Statistics Attn: Prof. J. Keilson Rochester, New York 14627	1
University of Michigan Department of Industrial Engineering Attn: Prof. R. L. Disney Ann Arbor, Michigan 48104	1
Cornell University Department of Computer Science Attn: Prof. J. E. Hopcroft Ithaca, New York 14850	1

	Copies
Smithsonian Institution Astrophysical Observatory Attn: Dr. C. A. Lundquist Cambridge, Massachusetts 02138	1
Naval Postgraduate School Department of Operations Research and Administrative Sciences Attn: Prof. J. D. Esary Monterey, California 93940	1
Polytechnic Institute of Brooklyn Department of Electrical Engineering Attn: Prof. M. L. Shooman Brooklyn, New York 11201	1
Union College Institute of Industrial Administration Attn: Prof. L. A. Aroian Schenectady, New York 12308	1
Ultrasystems, Inc. Attn: Dr. D. C. Dorrough 500 Newport Center Drive Newport Beach, California 92660	1
University of New Mexico Department of Mathematics and Statistics Attn: Prof. W. J. Zimmer Albuquerque, New Mexico 87106	1
Princeton University Department of Statistics Attn: Prof. G. Simon Princeton, New Jersey 08540	1
Naval Ordnance Systems Command, NORD 035 Attn: Mr. O. Seidman Room 6E08, National Center #2 Arlington, Virginia 20360	1
Naval Coastal Systems Laboratory Code P761 Attn: Mr. C. M. Bennett Panama City, Florida 32401	1
Food and Drug Administration Statistics and Information Science Division Health Protection Branch Attn: Dr. A. Petrasovits, Head, Survey Design and Quality Control 355 River Road, 4th Floor Vanier, Ontario, Canada	1

UNCLASSIFIED
Security Classification

DOCUMENT CONTROL DATA - R & D

(Security classification of title, body of abstract and indexing annotation must be entered when the overall report is classified)

1. ORIGINATING ACTIVITY *(Corporate author)*

Naval Postgraduate School
Monterey, California 93940

2a. REPORT SECURITY CLASSIFICATION

UNCLASSIFIED

2b. GROUP

3. REPORT TITLE

Unique Maximum Property of the Stirling Numbers of the Second Kind

4. DESCRIPTIVE NOTES *(Type of report and, inclusive dates)*

Scientific

5. AUTHOR(S) *(First name, middle initial, last name)*

W. E. Bleick and Peter C. C. Wang

6. REPORT DATE

20 November 1972

7a. TOTAL NO. OF PAGES

14

7b. NO. OF REFS

8

8a. CONTRACT OR GRANT NO.

NR-042-286

b. PROJECT NO.

c.

d.

9a. ORIGINATOR'S REPORT NUMBER(S)

NPS-53WG72112A

9b. OTHER REPORT NO(S) *(Any other numbers that may be assigned this report)*

10. DISTRIBUTION STATEMENT

Approved for public release; distribution unlimited.

11. SUPPLEMENTARY NOTES

12. SPONSORING MILITARY ACTIVITY

Office of Naval Research

13. ABSTRACT

Letting $f(n)$ and $\ell(n)$ the first and last maximum of the graph $S(n,k); k = 1, 2, \ldots, n$, Kanold [J. Reine Angew. Math 230(1968), 211-212] shows that, for sufficiently large n, $n/\log n < f(n) \le \ell(n) \le n\, h(n)/\log n$ with $h(n)$ subject only to $h(n) \to \infty$ as $n \to \infty$. This result was subsequently improved by Harborth [J. Reine Angew. Math 230(1968), 213-214] to yield $\lim_{n\to\infty} f(n) n^{-1} \log n = \lim_{n\to\infty} \ell(n) n^{-1} \log n = 1$. Together with Harper's result [Ann. Math. Stat. 38(1967), 410-414], it is concluded that $S(n,k)$ have, asumptotically, a single maximum. Lieb [J. of Comb. Theory 5(1968), 203-206] shows that Stirling numbers of the second kind possess the property of Strong Logarithmic Concavity, and thus are unimodal. Dobson [J. of Comb. Theory 5(1968), 212-214 and Vol. 7(1969), 116-121] shows a similar result in a stronger form. However, the classical problem of establishing that $S(n,k)$ possess an "unique" maximum for all $n \ge 3$ remains unsolved. It is the purpose of this paper to provide the complete solution of this classical problem.

DD FORM 1 NOV 65 1473 (PAGE 1)

S/N 0101-807-6811

UNCLASSIFIED
Security Classification

A-31408

14 KEY WORDS	LINK A ROLE	LINK A WT	LINK B ROLE	LINK B WT	LINK C ROLE	LINK C WT
Stirling Number of the second kind						
Unique Maximum Property						
Contour Integral						
Interpolating Polynomial						
Vandermonde determinant						

U150077

DUDLEY KNOX LIBRARY - RESEARCH REPORTS
5 6853 01067799 0

U[redacted]